


# INDEX of KEYWORDS to

## The Essential Guide to Aqueous Coating of Paper and Board



Compiled by:

— Dr. Steve Mann —

# The Essential Guide to Aqueous Coating of Paper and Board

The book was first published in 1997 after a lot of time and effort put in by the members of the PITA Coating Working Group, together with a lot of time and patience from the editor, Trevor Dean.

The book is divided into 10 sections. Each section was prepared separately prior to being pulled together into a single bound volume.

Over 500 books have now been sold, and we have received some helpful feedback from the many satisfied customers.

A 'red thread' comment has concerned the indexing system. Because each section was prepared separately, each section has its own index. It was suggested that a single index would be better, since some subjects may be covered in more than one section.

To this end, this single index has been prepared as a supplement. The book is often used for reference and training purposes, and it is hoped that this supplement will speed up any information searches. In its preparation, the index has been updated, including one or two amendments.

At PITA we are continually looking to improve the quality and content of our publications, therefore we hope that you appreciate this latest supplement.

A handwritten signature in black ink that reads "Ian Davis". The signature is written in a cursive style with a large, sweeping initial 'I'.

## A

Abrasivity	3	7, 13
Absolute temperature	8	29
Absorbency of the base	6	15
	8	6
Absorption coefficient	3	21
Absorption of light	3	21
Acetylene	4	50
Acicula	3	11, 12, 38, 47
Acid modification of starch	4	23
Acid sizing	7	27
Acrylates	4	36, 48, 49
Acrylic acid copolymers	5	45
Adams wet rub test	5	42, 44
Adhesion	4	2, 3
Adhesive	4	3, 6, 8, 9, 11, 21, 33, 54
Agitation	1	25, 26, 27
Agitators	5	6
Air bar design	8	35
Air dryer	8	12, 13, 18, 27
Air float dryer	8	21, 22, 33
Air foils	8	21
Air horsepower	8	15
Air knife coater	2	26, 27
	5	6
	6	2, 23-30, 65, 70
	7	31, 33, 37
	8	6
Air mass flow	8	15
Air preparation system (for air knife)	6	24
Air separation system (for air knife)	6	27
Air temperature	8	15, 18, 40
Air velocity	8	18, 23
Alginate solutions	9	8
Alum (aluminium sulphate)	2	21
	7	27
Alumina pigments	3	46
Aluminium stearate	5	9
American Pulp and Paper Standards (TAPPI)	10	58
American Society for testing (ASTM)	10	58
Amines	5	19
Amino acids	4	33
Ammonia	7	17, 28, 32, 35-37, 39, 43, 45-47
Ammonium stearate	5	9
Ammonium zirconium carbonate (AZC)	5	40, 42, 43, 45
Amount of blade wear	6	33
Amount of water to be removed	8	4
Amylase	4	25
Amylopectin	4	16, 18-23
Amylose	4	16-21
Anatase	3	43, 44
Angle of attack	6	25
Angle of incidence	3	16, 18, 19
Angle of reflectance	3	18
Apparent viscosity (under blade)	6	32

	<b>Chapter</b>	<b>Page</b>
Apparent wetting time	8	6, 7
Applicator rolls	6	17, 20, 29, 31, 41, 47, 48, 50, 61, 64, 66, 69
Applicator systems (air knife)	6	26
Approximation	1	5
Aqueous emulsion	4	36
Aragonite	3	26, 38
Area brushing	9	16
Area of a Circle	1	5, 6
Aspect ratio	3	12, 31, 36, 40, 61
Ass'n Français de Normalisation (AFNOR)	10	58
Atomic weight	4	15
Automatic coat weight control systems	6	56
Automated preparation systems	7	25

## **B**

Backflow region (blade coating)	6	36, 37
Back fence	9	27
Back flushing (pressure screens)	7	23
Backing roll	6	6, 8, 17, 21, 22, 24, 40-43, 45-48, 50, 54, 59, 60, 69
Backing roll hardness	6	40
Backstands	9	25, 26
Baffles	7	12-14, 20
Barium sulphate	3	14, 22, 49-51
Barytes	3	49
Base properties	2	2, 6, 28
Base sheet	10	30, 37, 41, 65, 66, 68
Basic properties of coating pigments	3	26
Basis weight (grammage)	2	38
Batch cooker (for starch)	7	17
Batch process for starch conversion	4	28
Bead (dip roll coater)	6	17
Beating	1	3
Bekk	10	53, 64
Bendtsen	10	53, 64
Bent blade	2	5
	6	32, 53, 54, 61, 69
Bernoulli principle	8	21
Benzene	4	12-14, 19
Beta rays	10	47
Bevelled blade	6	32-34, 39, 51
Bill blade	6	44-47, 51
	7	43
Binder demand	3	7
	4	5, 8
Binder migration	6	10, 21, 33
Bingham Flow		See Plastic Flow
Blade		
angle	3	59
	6	41, 51
	6	33, 39-41, 45, 51, 54
coaters	2	4, 19, 26, 29
	5	13
	8	5-7
	10	46

	<b>Chapter</b>	<b>Page</b>
<b>Blade</b>		
coating	6	2, 31-33, 40, 44, 53, 56, 58, 69
	7	38, 44
extension	6	41, 46, 51
geometry	6	32, 34, 39
holder	6	41, 45
life	6	39, 41, 58-60
load	6	51, 52
on blade coating	2	13
pressure	6	32, 34, 41, 50-52, 56, 62
	10	46, 66
profile	6	41, 51, 52
streak or blade lines	2	9
tip	6	26, 34, 35, 37, 38, 45, 51, 53, 56, 57, 60, 62
<b>Blanc fixe</b>	3	14, 49
<b>Bleeding (weeping)</b>	3	58
<b>Blending</b>	7	13-15, 10-21
<b>Blister formation (HSWO)</b>	4	50
	10	12
<b>Blue denim (for SC bowls)</b>	9	12
<b>Board</b>	2	34
<b>Board coating</b>	6	69
<b>Board products</b>	9	7
<b>Bonding strength</b>	4	3, 4, 6
<b>Boundary layer</b>	8	17, 18, 21, 31
<b>Brabender Visco-amylograph</b>	4	22
<b>Brightness</b>	3	2, 3, 5, 6, 22, 37-39, 44, 46, 50, 59
	5	2, 26-31
	6	60, 69
	10	49, 51, 61
<b>Brightness levels of raw materials</b>	5	27
<b>British Standards</b>	10	50
<b>Brookfield viscometer</b>	4	59
	6	45
<b>Brookite</b>	3	42
<b>Bulk density</b>	3	13
<b>Brush calender</b>	6	70
	9	3, 15
<b>Brush coating</b>	6	2, 6
	7	38
<b>Brush filaments</b>	9	16
<b>Bubble jet</b>	10	19
<b>Bulk</b>	9	9, 11, 15, 29, 31
<b>Bulk wrapping</b>	9	30
<b>Butadiene</b>	4	36

## C

<b>Calcined &amp; aggregated clays</b>	3	45
<b>Calcite</b>	3	35, 36, 38, 39
<b>Calcium carbonate</b>	3	2, 12, 14-16, 26, 34, 36-40, 44, 51, 57
	5	10, 12, 22, 23, 28, 29
	7	3, 8, 9, 29, 33, 41, 45, 49
<b>Calcium stearate</b>	5	9

	<b>Chapter</b>	<b>Page</b>
Calculus	1	7, 13, 14
Calendering	1	3
	2	8, 21, 31
	5	29, 42, 45
	9	2, 9
Calgon	5	21-23
Caliper control units	9	7
Capillaries	2	16
Capillary migration	3	55, 56
	5	12, 13, 15
Capillary viscometer	4	59
Carbohydrates	4	2, 19, 21
Carbonless paper	10	25, 26
Carboxylated latices	4	42
Carboxylic acid	4	42
Carboxylic group	4	42
Carcinogen	5	40
Carrier ribbon (thermal transfer)	10	24
Cartoniser	9	25, 26
Cascades	5	6
Casein	3	48
	4	2, 8, 9, 31-35, 48, 52, 57
	5	5, 18, 32, 42, 44, 47
	7	3, 16, 17, 19, 31, 47
Casein shock	4	33
Cast coating	6	2, 67, 68
Cathode ray tube	10	22
Caustic soda	7	17
Catalyst	4	44
	8	3
Cationic starches	4	24
Cells	10	8, 9
Cellulose	4	15-19, 53, 54, 56
Centrifugal pumps	7	24
Ceramic coatings (blade tip)	6	58, 60, 62
Chalk	3	12, 14, 34, 35
Champflex coater	6	21, 22, 55
	7	46
Champion Hamilton coater	6	64
Champion on-machine coater	6	19-21
Changes in base sheet manufacture	2	20
Chemical		
bond	4	4
compatibility	2	24
composition	3	14
elements	3	2, 14-16, 41
symbols	3	14
China clay (kaolin)	3	2, 4-6, 11, 13-14, 26-28, 31,
		32, 40, 45, 50
	5	10, 12, 19, 22-24, 26-29
	7	3
CMC (carboxy methyl cellulose)	2	21
	3	41
	4	54
	5	16, 19, 27, 30, 32, 34, 35, 45
	7	18, 27, 42, 43, 48-50
Coanda effect	8	24-26, 33

	<b>Chapter</b>	<b>Page</b>
Coat weight	6	6, 10, 12, 13, 15, 16, 21, 24, 37, 45, 46, 50-53, 56, 57, 59-61
Coat weight control	10	46
Coating		
board	7	11, 14, 31, 33, 37, 39, 44, 45, 51
colour	1	11
kitchen	10	43
lines (air knife)	6	29
lubricant	5	8
main constituents	5	2
pond	6	42, 43
preparation plant	5	6
skips	5	6
solids	8	6
split	5	14
viscosity	4	45
Coating pigments		
alumina	3	46
anatase	3	43, 44
china clay (kaolin)	2	32, 33
titanium dioxide	2	31, 32, 33
Coating strength	4	46, 47, 50
Co-binder	4	59, 60
Cobb sizing test	2	23
	7	32
	10	58
Coefficient of thermal conductivity	8	9
Colloid	4	9
Combined Locks coater	6	64
Combined Locks company	6	65
Compressive stress	9	2, 10
Computer	10	31, 38, 43, 48
Conduction	8	9
Consolidated (Massey) coater	6	62, 63
Constant flow device	10	44
Construction of a coating plant	7	25
Contact coater	2	3
Continuous conversion of starch	4	29
	7	17
Controlling costs	10	2
Controlling moisture content	10	49
Controlling rheology	7	11
Convection	8	9, 51
Contour coater	6	16, 29
Control systems	6	56
Cooling jacket	7	14
Cooling water (bar coaters)	6	19
Costing	7	6
Costs of producing a coated product	10	2
Cross cutting (sheeter)	9	19, 21, 22
Cross linking of casein	4	32
Corrosion	2	10, 11
Creases	2	2, 29
Critical pigment volume concentration	4	7
Cross-linking agent	5	33, 38, 42
	7	4, 28

	<b>Chapter</b>	<b>Page</b>
Cross machine level	2	7, 27, 34
Cross machine profile	2	7
Crown compensating rolls	9	7
Crushing	9	6
Crystal structures	3	2, 4, 9, 11, 39, 47
cubic	3	12, 15
hexagonal	3	10
monoclinic	3	11
rhombic	3	10, 12, 35, 36, 38, 44
rhombo hexagonal	3	11, 31
scalenohedral	3	38, 39
tetragonal	3	10
Cumulative distribution curve	3	7
Curing	8	3, 4
Curl	2	19, 30
Cut size papers	9	25
Cyan	10	8
Cylinder dryers	8	11, 12
Cylithography	10	26

## **D**

Dampers	8	27, 40, 42, 45
Dennison Wax Pick number	10	55
Dennison Wax Pick test	10	55
Dead knife	9	21, 22
Deaerating units	5	7
Deckle edge	2	5
Definitions		
coating mix	1	11
molecule	1	18
power	1	27
rheology	1	11
shear rate	1	12
shear stress	1	12
velocity gradient	1	13
viscosity	1	11
work	1	27
Deflocculants	3	33, 41, 46
Deflocculation	3	33, 41
Defoamer	5	5, 7
	7	4, 52
Degree of bevel (blade)	6	39
Degree of blade flexing	6	33
Degree of hydrolysis (PVOH)	4	52
Degree Kelvin	8	29
Degree of substitution (starch)	4	24
Delaminated clays	3	32
Delta	1	7
Density	3	12
	9	2, 7
Desk-top printing	10	30
Dextrinisation of starch	4	22
Deutsche Institut fur Normen (DIN)	10	63
Development of printing	10	5
Development strategy for NIP	10	30
Dextrins	4	23

	<b>Chapter</b>	<b>Page</b>
Dicyandiamide	4	32
	5	22
Dielectric base paper	10	25
Dielectric coating	10	25
Dielectric process	10	25
Digressive breaking system	9	20
Dihydroxybenzene	4	13
Dilatancy	1	22
	3	45, 57
	5	18
	7	44
Dilatant		
flow	1	20, 21
fracture	3	52, 53
system	1	21
thixotropic systems	1	24
Dilute suspensions	1	18
Dimensional stability	2	19
	10	30
Dip coaters	6	17
Dip coating	6	2
Direct gas fired air system	8	37
Direct thermal printing	10	25
Dispersing agents	5	6, 20-22
	7	4
Dispersion of pigments	1	29
Disposable holders (bar coaters)	6	19
Distribution of the binder	8	7
Dolomite	3	39
Dot area	10	29
Dot circularity	10	29
Dot perimeter	10	29
Double angle blade	6	60
Double coating (air-knife blade)	6	29
Dpi (dots per inch)	10	17
Drag	1	10, 25
	7	13
Draw roll system	9	22, 23
Drive methods (sheeters)	9	22
Drop on demand (ink jet)	10	18
Dry strength	5	38-40
Dryer fabric	8	10
Drying curves	8	16
Drying cylinders	6	10
	8	9-12, 33
Drying oven (web offset)	10	12
Drying temperature	5	38, 39
Dual blade system	6	61
Ductwork design	8	40, 42, 47
Ductwork expansion	8	40, 41, 42
Dwell time	2	18, 23
Dye diffusion thermal transfer (D2T2)	10	24
Dyes	5	26

## E

Economisers	8	46
Edge tears	2	29

	<b>Chapter</b>	<b>Page</b>
Edge protectors	9	30
Eductor	4	55
	7	18
Effective blade angle	6	33
Elastic modulus	9	11
Electrically heated infra-red systems	8	30
Electrolysis	4	37, 37
Electronic printing	10	15
Electronic programming systems	9	27
Electroplating	4	37
Elements of the coating process	3	3
Emulsifying agent	4	36
Enamel	7	33, 38
End-use tests	10	51
Energy transport	8	3
Enzyme conversion of starch	4	29
Enzymes	4	11, 25, 26, 28, 30
	5	18, 19
Epoxy based resins	5	40, 41
Equivalent spherical diameter	3	5, 7
Esterification of starch	4	24
Etherified starch	7	29
Ettringite	3	46
Evaporation rate	8	11, 14, 16, 18
Evaporation temperature	8	8
Expanding chucks	9	19

## **F**

Fans	8	40, 43, 44
Fatty esterified ethers	5	18
Ferranti Shirley viscometer	4	59
Fibre bonding	2	38
Fibre clumps	2	9
Fibre optics	10	22
Fibres	1	3
Filler clays	3	28
Fillers	1	3
Film press	6	13, 14, 16
	7	30, 31, 50
Film splitting	6	45, 61
Filtration devices	7	22
Fine roughness	2	5
Finely ground calcium carbonate	3	12
Finishers	6	6
Fisheyes	5	7
Fixing the toner image	10	23
Flame failure control	8	46
Flame viewing port	8	42
Flexible coaters	6	43, 44, 53
Flexographic printing	10	13, 14
Flocculation	3	33, 41, 48
Flocs	1	18
	3	32
Flooded nip coaters	6	47

	<b>Chapter</b>	<b>Page</b>
<b>Flow</b>		
modifiers	5	6, 18
	7	4
over a flat surface	1	25
through a pipe	1	26
Fluorescence uplift	5	31, 33
Fluorescent whitening agent (FWA)	5	26
	7	9, 35
Flying splice	2	29
	9	19
Foam	5	2, 4-7, 9
Foam control agents	5	4
Foliated	3	11
Folio sheeting	9	19, 25
Forced convection	8	9, 13, 14, 17, 19-21, 31, 33, 35
Formaldehyde	4	32
	5	32, 40-42, 44, 45, 47
	7	9, 17, 28, 29, 35
Formation	2	10, 30, 34, 35, 37
Fountain application systems	5	6
Four colour printing	10	8
Fourier's law	8	9
	6	41
Free flowing systems	1	18
Free formaldehyde	5	40
Free radicals	4	38, 39
Frequency of testing	10	40
Frictional forces	1	10
Friedrich Konig	10	5
Frogmore mill	10	5
Functional properties (NIP)	10	29
Future developments (NIP)	10	34

## **G**

Gamma rays	10	48
Gas air mixing	8	45
Gas heated IR systems	8	30
Gate roll size press	6	12
Gate rolls	6	Nov-13
Gelatine	4	56
Gelatinisation temperature of starch	4	21
Genetic engineering of plants	4	20
Geometry of mixing equipment	1	27
Gloss	3	2, 3, 6-8, 12, 34, 36, 40, 46, 47, 49, 50, 59-61
	4	3, 31, 48, 50, 55
	9	2-4, 7-9, 11, 15, 17
Gloss calenders	6	70
Gloss of the coated surface	10	60
Glossy grades	5	29
Glucose	4	14-16, 19, 22-25
Glyoxal	5	40, 45, 47
Good laboratory practice	10	50
Grammage	2	6, 7, 8, 10, 19, 34
Gravure ink	10	10
Gravure presses	10	10

	<b>Chapter</b>	<b>Page</b>
Gravure printing	3	37, 40
	7	10, 42, 49, 50, 53
	10	8-10, 12-15, 62
Grease resistance	4	56
Greaseproof paper	1	3
Grooved bar	6	15
Guillotine	9	27, 29
Guillotine guarding system	9	28
Gum arabic	5	22
Gutenberg	10	5
Gutter (ink jet)	10	18
Gypsum	3	13, 14, 40, 41

## **H**

Haake viscometer	4	59
Hand coating	7	4
Hard nip calender	9	2, 4-7
Hardness of a mineral	3	13, 40
Health and safety aspects	10	36
Heat capacity (of coating)	10	28
Heat coefficient	8	14
Heat set toner system	10	21
Heat set web offset (HSWO)	4	50
	7	49
Heat transfer	8	9-11, 51
Heat transfer by forced convection	8	51
High frequency (dielectric drying)	8	32
High molecular weight polymers	4	15, 16
High solids coating	7	49
High solids deflocculated slurries	3	52
High speed blade coaters	2	23
High tension spark ignition	8	46
Hollow sphere pigments	3	50
Horizontal size press	5	13
	6	8, 9, 12
Hot fusing nip (laser printer)	10	23
House of cards structure	3	33
Hydrocarbon	4	38
Hydrodynamic force	6	37
Hydrogen ions	5	24
Hydrophillic (water loving)	3	40
Hydrophobic (water hating)	3	40
	4	38
Hydroxy group	4	13
Hydroxyethyl cellulose (HEC)	5	32
Hydroxyl group	4	13

## **I**

IGT Pick Tester	10	32, 56, 57, 59, 64
IGT pick value	10	56
Ilmenite	3	41, 42
Image analysis	10	28, 31, 32
Image area	10	8, 10-13, 21, 23, 27
Image transfer	10	17, 26

	<b>Chapter</b>	<b>Page</b>
Impeller (rotor, stirrer)	1	27, 29, 30
	7	12-15, 19, 21, 32, 35-37, 39-43, 45-51
Impingement air dryers	8	12
In line mixing	7	20
Inclined size press	6	8
Infra-red	8	12, 27
Infra-red emitter	8	28-30
Infra-red sensors	9	11
Initiation (latex production)	4	37
Initiator chemicals	4	40
Ink		
absorption	1	3
	4	50
	10	58
drying	10	52, 59
feathering	2	20
film splitting	10	7
gloss	10	52, 60
hold out	1	3
	3	7
	10	60
ink migration	10	5
jet gun	10	17
jet printing	10	15, 17
pigment	10	5
receptivity	3	2, 37, 47, 48, 59
scuff	3	37, 39, 40
strike through	1	3
Inlet suction box	8	44
Insolubilisation	7	4, 16, 40
Insoluble soaps	5	9
Insulation	8	40
Interfacial energies	5	8
Interfibre bonding	2	21
Internal sizing	6	18
International Standards Organisation (ISO)	10	50, 63
Inverted blade coater	3	54
	6	43
Iodine test for starch	4	20
Ionic double layer theory	5	24
Ions	4	37, 38, 42, 45
ISO units	10	50

## **J**

Jet cooker	4	26-28, 30, 31
Jet foil cylinder	8	33, 34
Jet fountain applicator	6	49
Joins	2	11, 12
Jumbo (stock) reel	9	17
Just in time packaging	10	16

## **K**

K&N ink test	8	8
	10	58
Kaolinite	3	27, 31, 32, 45

	<b>Chapter</b>	<b>Page</b>
Kady mill	7	14, 15
Kettle	4	43
Kiss coaters	6	30, 31
Kiss coating	6	2
Knife section (slitter)	9	17

## L

Labels	2	30
Labeller	9	25
Lamella	3	11
Laminar flow	1	9, 26, 27
Laser	10	17, 22-25, 27, 28, 30, 33
Lasers (for cutting paper)	9	29
Latent heat	8	8
Latent image	10	22
Latex	4	8-10, 57
	8	2, 6
Length of air dryer	8	18
Letterpress inks	10	7
Letterpress printing	10	5-8, 12-14
Levy drier	6	64
Lhomargy test (stiffness)	10	54
Light box	10	52
Light emitting diode (LED) array	10	22
Limestone	3	34, 38, 40
Line brushing	9	15, 16
Liquid		
crystal array (LCD)	10	22
cube	1	12, 16
'door'	1	9
phase	2	16-23, 28, 35
'spoke'	1	9
toner system	10	23
Lithography (litho printing)	10	10
Load cells	10	46
Load control roll	9	14
Logjamming	3	58
Lorenzen and Wettre (stiffness)	10	54
Loss on ignition	3	15, 16, 32, 36, 40, 46, 47
Lubricants	5	6, 8, 9

## M

Machine finished products (MF)	9	6
Macromolecule	4	4
Magenta	10	8
Magnesite	3	14, 39
Magnetic holders (bar coaters)	6	19
Magneto optic array	10	22
Manholes	8	42
Marble	3	34, 35, 39, 61
Market	10	17, 30, 34, 35
Mass balance	10	46
Mass transport	8	3, 9
Massey roll coater	5	14, 15
Matt coating	3	37, 39
	7	34

	<b>Chapter</b>	<b>Page</b>
Matt grades	9	4, 9
Maximum rate of drying	8	49, 50
Mechanical blade loading	6	41
Melamine formaldehyde (MF) resin	4	32
	5	32, 40
Metering bar	6	13, 17-19, 21-23, 29, 30, 47, 69
Metering bar coater	2	10
	6	17, 22, 23, 29
Metering device	2	4, 35
Metering rolls	6	46, 47, 66
Methyl cellulose	4	53, 54, 56
Methylol groups	5	43
Meyer bar	6	18
MG base papers	2	23
MG cylinder	6	69
Micelles	4	39, 40
Microbiology	5	47
Microcapsules (carbonless)	10	26
Microcontour ink	10	53, 54
Micrometers (microns)	3	5-7, 22, 26, 31, 37, 44, 45, 47, 50
Micro-organisms	5	47
Microroughness	10	53
Migration	8	2, 6, 7, 12, 18, 22, 48
capillary	2	16, 20, 22-24, 28, 35
of the coating binder	2	20
pressure	2	17, 23, 28
printing ink binder system	2	20
Minimising waste	10	3
Missing dots (gravure)	10	9
Mix viscosity	8	6, 14
Mixing	1	27, 29, 30
Modified starches	6	7, 45
Moh's scale	3	13
Moisture content	2	6, 7, 34, 38
	6	10, 16, 69
Moisture profile	2	38
Molecular bombardment	8	9
Molecular weight	4	16
Molecular weight of latex	4	46
Molecules	1	18, 19
	4	4, 9, 21, 35, 37, 40, 42
Monitors	3	28
Monoclinic structures	3	11
Monodisperse	3	8, 9
Monomer ratio in latex	4	44
Monomers	4	35-37, 39, 40, 42, 44, 46-49
Mottle	2	31, 34, 38
	6	29
	10	33, 41, 46, 51, 52, 58, 59
Movable air tables	9	28
Multi nip calenders	9	7
Multi-ply base sheets	2	34
Multiple impellers	7	14

**N**

Natural binders	4	35, 48
Natural convection	8	9
Natural ground calcium carbonate	3	37
	7	33
Newton's Law	1	16, 17
Newtonian flow	1	18, 19
Newtonian liquid	1	17, 28
NIP (non impact printing)	10	14, 29
Nip pressure	6	10
Non-contact coaters	2	3
Non-contact drying	8	21, 33
Nozzle design	8	23
Nozzles	8	14, 15, 45, 46, 48

**O**

Odour	5	47
Off machine calendering	9	4
Offset lithography (printing)	2	15
	3	40, 41
	5	38, 40
	7	28, 31, 32, 35, 46, 48, 49
	10	11, 12, 57, 62
On line measuring heads	10	40
On machine calenders	9	4
One side coated grades	7	43
One-side coated label papers	2	24
Opacity	1	3
	3	2, 6, 20, 43, 46, 50, 59
	10	52, 61, 64
Optical angle encoder	9	27
Optical brightening agent (OBA)	4	52, 55
	5	26-36, 40, 43
	7	19
Optical brightening agent carriers	5	30, 32, 33, 36, 43
Optical properties	2	31
	10	49, 60
Orange peel effect	6	9-13, 45
Organic compounds	4	2, 4, 11, 18, 25, 38, 42, 52-54
Oxidation of starch	4	23
Oxidised starch	7	30

**P**

Packaging	9	25, 30, 31
Packing density	3	5, 7
Palletiser	9	25, 26
Pan unit	6	47, 48
Paper-print interactions	10	26
Paker printsurf	10	53
Partial etherification	5	43

	<b>Chapter</b>	<b>Page</b>
Particle		
shape	3	9, 61, 62
	4	8
size	3	2, 4-7, 9, 12, 26, 32, 38, 44,
		46, 50, 53, 58, 60
	4	7
size distribution	3	7
Paste inks	10	7
pH control agents (latex production)	4	37
Photoconductive drum	10	21, 23
pi	1	5
Picking		
at the first press	2	13, 14
hardwood cells	2	14
	5	38
Picking	10	7, 56
Piezoelectric crystal (ink jet)	10	17
Piezoelectric ink jet head	10	19
Pigment dispersants	7	7, 9, 15, 32, 37, 40-43, 52
Pigment dispersion	7	12
Pigment slurries	7	15, 20
Pigment volume concentration (PVC)	4	6
Pilot nozzle	8	46
Pilot scale trials	10	36
Pin holes	2	9
Pipe runs	5	6
	7	25
Planck's Radiation Law	8	29
Planning a mix formulation	7	2
Plant design	5	6
Plastic flow	1	18, 19
Plastic pigments	3	50
	7	49
Plastic-thixotropic systems	1	24
Plenum	8	16
Ply bond strength	2	34
Ply bonding	2	34
Pneumatically loaded blade	6	53
Pockets	9	25
Point of attack	6	25
Polyacrylate thickeners	5	32
Polyethylene glycol	5	9
Polyglycols	5	19, 32
Polymer	4	4, 35, 36, 40, 41, 44-46, 48,
		54
Polyphosphates	5	20, 21
Polysaccharides	4	15
Polythene coated kraft wrapper	9	30
Polyvinyl acetate latices	4	49
Polyvinyl alcohol	4	4, 9-11, 50-53
	5	5, 32
	6	7
	7	4, 18, 43
Pore volume	2	6, 19
Pores	1	3
Porosity	2	6, 19, 20, 24, 36, 38
	4	49, 50
Positive displacement pumps	7	24

	<b>Chapter</b>	<b>Page</b>
Precipitated calcium carbonate	3	26, 37
Pre-coating	2	34
	6	7, 20, 60
Pre-modified starch	4	27
Pressure migration	3	55, 56
	5	12
Pressure screens	7	22, 23
Pressure switch connections	8	43
Pressurised metering bar design	6	22
Primary deposits	3	27
Print gloss	3	40, 47, 59
Print mottle	7	40
Print quality	1	2, 3
Print quality enhancement (ink jet)	10	21
Printability	1	2
	2	2, 20
	3	2, 3
	10	31, 33, 51, 60
Printing inks	10	5, 6, 14
Printing plates	10	7, 11
Product development	10	35
Product specification	10	35, 37, 38
Production of starch in plants	4	11
Propagation (latex production)	4	37
Protein binders	5	5, 19, 22, 44, 45, 47
Proteins	5	20, 22
Prufbau	10	57-60, 62
Pseudoplastic flow	1	19
Pseudoplastic-thixotropic systems	1	24
Publication grades	6	50
Pumps	5	6
	7	12, 20, 24
Purpose of pigment coating	8	2
PVA (polyvinyl acetate)	2	21
PVOH (polyvinyl alcohol)	2	21

## **Q**

Quality assurance scheme	10	38
Quartz	3	13

## **R**

Radiant heat	8	26, 27
Radiation	8	9, 29
Radicals	4	38-40
Radius of a circle	1	6
Rate of blade wear	6	58
Rate of drying	8	48
Rate of Shear		see shear rate
Raw cotton (for SC bowls)	9	12
Raw materials		
checks	10	41
costs	7	6
moisture content	7	6
Ream wrapping	9	25, 26, 30, 31
Ream wrapping machines	9	23
Rectangular tanks	7	14

	<b>Chapter</b>	<b>Page</b>
Reducing solids	7	8
Refining	1	3
Reflected (backscatter) radiation	10	48
Refraction	3	16, 17
Refractive index	3	2, 6, 16, 18-21, 43, 44, 49
Regrinding slitter knives	9	18
Reject gate	9	23
Repellency	5	7, 9
Requirements of the printing process	7	53
Resilient covered rolls	9	2
Resilient rolls (bowls)	9	5, 11
Resistance to wet pick	4	45
Resonance	8	44
	10	54
Retrogradation of starch solution	4	19
Reverse roll coaters	6	65, 66
Reverse roll coating	6	2
Reynolds Number	1	27
	8	24
Rheology	1	16, 25
	3	22, 25, 50
	6	10, 32
Rigidity	2	23
Rigidity of board	9	8
Rod (or Bar) coating	6	2, 17
	7	10, 44, 45
Rod/blade combinations	6	55
Roll blade	6	53
Roll coaters	5	13
	6	9, 62, 65, 67
Roll hardness (size press)	6	10, 40
Rope marks	2	29
Rosin/alum sizing	2	21
Rotating bar (metering bar coater)	6	19
Rubber printing blanket	5	38
	10	11
Runnability	2	8, 29, 35
	3	2, 25, 56, 58, 59, 62
Rutile	3	43, 44

## **S**

Safety	9	28
Sampling	10	37, 40
Satin white	3	12, 46-48, 54
	5	19, 22, 23, 28
	7	3, 36
Scale	2	5, 10, 11
Scandinavian Standard (SCAN)	10	63
Scattering coefficient	3	21
Scattering of light	3	21
Scratches	2	35
	5	15
Screen printing	10	13
Screening	3	3, 22, 53, 54, 58
	7	22, 24
Screening efficiency	10	44
Screening of platy particles	3	53

	<b>Chapter</b>	<b>Page</b>
Scrubbers	6	6
Secondary deposits	3	28
Sensible heat	8	8, 18
Shaftless unwind stand	9	19
Shear rate	1	12, 17, 18
Shear slitting	9	19
Shear stress	1	12, 13, 16, 17, 18, 19, 25
Sheen gloss	10	60
Sheet counting	9	23
Sheet inspection	9	24
Sheet rejection	9	24
Sheet shrinkage	2	19
Sheffield	10	53, 64
Shock	3	41
Short dwell coater	3	55
	6	10, 22, 42, 50
Sigma blade mixer	7	15
Silicates	5	20, 21
Silicones	5	7
Silk screen printing	10	13
Simple inverted blade	5	15
Single lightweight coatings	2	31
Single nip calender	9	6
Single rotary cutter	9	21
Size press	2	15, 35
	6	2, 7-13, 15, 16, 44, 64, 65
	7	2, 27, 30-33, 44, 47
	8	36
Sizing degree	2	19, 20, 23, 24, 37
Sizing the mixing vessel	7	13
Slack edges	2	29
Slime deposits	2	9
Slitting	9	17, 26
Slitting knives (sheeter)	9	20
Slurry screening	3	53
Smooth bar	6	15
Smoothers	6	4
Smoothness	3	2, 3, 7, 37
	9	2, 4, 7-9, 11, 17, 18, 20
	10	15, 31, 41, 49, 52, 53, 62, 64,
Snell	3	19
Sodium alginate	7	47
Sodium carboxymethyl cellulose	6	7
	7	32, 40
Sodium hexametaphosphate	3	33
Sodium perborate	4	29
Sodium polyacrylate	3	33, 43, 46
Sodium stearate	4	37, 38, 40
Soft compact calender	9	2, 8, 9
Soft nip calender	9	2, 4
Solid ink jet printing	10	15
Soluble soaps	5	8
Solution - definition	4	8
Sources of starch	4	11
Soy protein	4	9, 33, 34
	7	3, 16, 28, 31, 47
Soya bean	4	33

	<b>Chapter</b>	<b>Page</b>
Specialised imaging systems	10	15
Specific drying rate	8	48
Specific evaporation rate	8	48
Specific gravity	3	12
Specification card	10	38
Spectrophotometers	5	31
Spinel	3	39
Spitting	6	64
Spray coaters	6	31
Spray coating	6	2, 31
Spray drying	3	31
Stacker/accumulator	9	25
Stamps	2	9, 27
Standard atmosphere	10	51
Standard methods for testing	10	63
Starch	2	15, 21, 30, 35
	4	2, 8, 9, 11, 15, 18-31, 33, 35, 41, 48, 52, 54, 56-59
	5	5, 13, 18, 19, 22, 23, 30, 32, 35, 36, 39-41, 44, 47
	7	3, 7, 9, 17, 18, 27-31, 33, 40
	8	2, 12
	9	8
Starch ethers	4	24
Starch phosphate ester	3	41
Static pressure	8	16, 17
Statistics	1	5
Stator	7	14, 24
Steam	8	9, 10, 12, 15, 33, 37, 38, 46
Steam distillation	4	44
Steam heated air system	8	37
Stencil	10	13
Stiffness	4	46, 47, 50
	10	30, 54, 55
Stirrer	1	8, 9, 10, 25
Stirrer types		
high shear	1	30
paddle	1	29
propeller	1	30
turbine	1	30
Stream line (laminar) flow	1	26, 27
	8	17
Storage conditions	10	43
St Regis Faeber coater	6	62, 63
Stock cleaning and screening	2	10
Stokes	3	4
Straight nip calender (SNC)	9	14
Stretch or shrink wrap	9	31
Styrene	4	36
Styrene butadiene latex (SBR)	4	10, 35, 36, 44, 46
	7	30
Substrate	2	3
Sulphonated castor oil	5	9
Supercalender	9	5, 8, 11-14
Supercalendered products (SC)	9	5

	Chapter	Page
<b>Surface</b>		
absorbency	2	19, 28, 35
bonding	2	35
cracking	7	40
defects (holes, lumps & debris)	2	8, 27
fibres (blade coating)	6	38, 50
grain	2	5
pH	2	25
	10	52
roughness/smoothness	2	5, 13, 27, 34, 36, 38
	10	59
strength	2	13, 28
	10	8, 12, 30, 55, 56, 62
tension	5	12
Surfactant	4	37, 40-42, 45
Suspension - definition	4	8
Synthetic latex	2	23
	4	2, 31, 35, 37, 42, 52
	5	5, 10, 11, 19, 27, 30, 32, 35, 36, 39-42
	7	4, 15, 16, 52
Synthetic rubber	4	35
Synthetic sizing agents	3	36
AKD (alkyl ketene dimer)	2	21
ASA (alkenyl succinic anhydride)	2	21
Synthetic surface active agent	5	20

## T

Taber (stiffness)	10	31, 32, 54
Talc	3	11, 13, 26, 39, 40, 49, 53
	5	24
	7	3
Taking a sample	1	5
Temperature indicating connections	8	43
Tension control	9	22
Termination (latex production)	4	37
Testing	10	31, 37, 39, 40, 50, 51, 56, 63
Tetrasodium pyrophosphate	3	33
Thermal conversion of starch	4	26
Thermal ink jet (TIJ)	10	19
Thermal transfer printing	10	15, 24
Theta	1	16
Thickness	2	6, 7
	9	2
Thixotropy	1	24, 25
	5	18
Tight edges	2	29
Titanium dioxide	3	26, 41, 42, 44, 50
	5	23
	6	69
	7	3, 8, 9, 30, 45
Toner adhesion	10	23, 33
Toner based print systems	10	15, 21
Tooth	2	5
Trailing blade coater	6	42
Tremolite	3	40
Trimethylolmelamine monomer	5	43

	<b>Chapter</b>	<b>Page</b>
Transfer roll coaters	6	62
Transfer roll coating	6	2, 64, 65
Transferring toner image	10	23
Transmitted infra-red radiation	10	48
Trial plan	10	36-38
Trist - first blade coater patent	6	31
Trouble-shooting charts	10	66-68
True solutions	1	18
Tungsten tipped guillotine knife	9	28
Turbulent flow	1	27
	8	17, 24, 26, 27
Twin rotary cutter	9	21, 22
Two-sidedness	2	38

## U

Ultra-violet light	5	26, 29
Uniform Quality	1	3
Unit of density	3	12
Unit of force		
Newton	1	27
Unit of velocity gradient		
reciprocal second	1	16
Unit of work		
Joule	1	27
Units of viscosity		
centipoise	1	11
milliPascal second	1	11
Pascal second	1	11
poise	1	12
Unpigmented surface sizing	6	45
Unwind station (sheeter)	9	19
Urea	5	18, 44, 45
Urea formaldehyde (UF) resin	4	32
	5	32, 40
Use of defoamers	2	25
Useful test methods (NIP)	10	31
UV lamp (visual inspection)	10	52

## V

Vaned elbow	8	44
Varnishability	10	52, 60
Vehicle	8	3
	10	5
Velocity gradient	1	14, 15, 16, 17, 28, 29, 30
Vertical size press	6	8
Vessel design	7	13
Vibrating screens	7	22
Vinyl acetate	4	36, 49
Vinyl chloride	4	36
Vinylidene chloride	4	36
Viscoelastic materials	3	24
Viscometer	1	17
	4	22, 29, 59

	<b>Chapter</b>	<b>Page</b>
Viscosity	3	22, 24, 48, 53, 56, 57
	4	9, 21-25, 28-35, 45, 48, 52, 55, 56, 58, 59
Viscosity control	10	44
Viscosity modifier	5	20, 32
Viscosity stability	4	58, 59
Visual inspection	10	52
Voids	4	8
Volume of a sphere	1	6

## **W**

Water based inks	10	14
Water box	5	45
	9	7, 8
Water jets (for cutting paper)	9	29
Water of crystallisation	3	47
Water resistance	4	33, 35
	5	39, 40
Water retention	5	12-14
Wave length	8	28, 29
Wax emulsion	5	8
	9	8
Web absorbency	6	10
Web moisture content (size press)	7	32
Web offset	10	12
Web stability	8	23, 26
Weighing and metering devices	10	43
Weight % below two microns	3	7
West Virginia coater	6	64
Wet opacity	2	31
Wet pick resistance	5	39
	7	28
	10	57
Wet rub resistance	5	42
	7	28
	10	57, 58
Wet strength	5	38, 39
Wetting agent	3	40
Whiteness	1	2
Winding operation	2	11, 13
Wire wound bar	6	18
	7	4
Woollen papers (for SC bowls)	9	12

## **Y**

Yield stress	1	18
Yield value (yield point)	1	19

## **Z**

Zero angle bar	6	53, 69
Zinc oxide	3	26, 51
Zinc sulphide	3	14, 51
Zirconium compounds	5	41